

No. 1907/2006 (REACH) Printed 11.02.2011

Revision 10.02.2011 (GB) Version 6.0

Contact VA 1401 (GB)

1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Name of product Contact VA 1401 (GB)

Code-Nr. 120540

Manufacturer/distributor WEICON GmbH & Co. KG

Königsberger Straße 255, DE-48157 Münster

Postbox 84 60, DE-48045 Münster

Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322-244

E-Mail: info@weicon.de Internet: www.weicon.de

Advice Abteilung Angebote, Verkauf, Export

Phone ++49(0)251 / 9322 - 0

Emergency advice Giftnotruf Bonn: Bei Vergiftungen (in case of poisoning)

Phone ++49(0)228-19 240

Recommended intended purpose(s)

1-Component Cyanacrylat - Adhesives

2. Hazards identification

Classification according to 67/548/EEC or 1999/45/EC

Xi; R36/37/38 **R-phrases**

36/37/38 Irritating to eyes, respiratory system and skin.

Labelling according to 67/548/EEC or 1999/45/EC

Remarks for labelling

The product is classified and labelled in accordance with EC directives/German regulations on dangerous substances.

Xi Irritant

R-phrases

36/37/38 Irritating to eyes, respiratory system and skin.

S-phrases

2 Keep out of the reach of children. 24/25 Avoid contact with skin and eyes.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

46 If swallowed, seek medical advice immediately and show this container or label.

Special rules for supplemental label elements for certain mixtures

Cyanoacrylate! Danger! Bonds skin and eyelids in seconds. Keep out of reach of children.

Information pertaining to special dangers for human and environment

Cyanoacrylate. Bonds skin and eye lids within seconds.



No. 1907/2006 (REACH)
Printed 11.02.2011

Revision 10.02.2011 (GB) Version 6.0

Contact VA 1401 (GB)

3. Composition/information on ingredients

Description

One-component adhesive based on cyanoacrylate acid alkyl ester.

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to 67/548/EEC
7085-85-0	230-391-5	ethyl 2-cyanoacrylate	80 - 100	Xi R36/37/38

4. First aid measures

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Ensure of fresh air.

In case of skin contact

In case of contact with skin wash off immediately with soap and water.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

Call for a doctor immediately.

Physician's information / possible symptoms

Shortness of breath

Treatment (Advice to doctor)

In the event of pulmonary irritation treat initially with dexamethasone metered-dose aerosol.

5. Firefighting measures

Suitable extinguishing media

Alcohol-resistant foam

Dry powder

Carbon dioxide

Water spray jet

Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison.

In the event of fire the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon dioxide (CO2)

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



No. 1907/2006 (REACH)
Printed 11.02.2011

Revision 10.02.2011 (GB) Version 6.0

Contact VA 1401 (GB)

6. Accidental release measures

Personal precautions

Ensure adequate ventilation.

Use personal protective clothing.

Environmental precautions

Do not discharge into the drains or bodies of water..

Methods for cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

7. Handling and storage

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Open and handle container with care!

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

Requirements for storage rooms and vessels

Keep in closed original container.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

8. Exposure controls/personal protection

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
7085-85-0	Ethyl cyanoacrylate	8 hours			EH40/2005
		Short-term	1.5	0.3	

Respiratory protection

If ventilation insufficient, wear respiratory protection.

Short term: filter apparatus, Filter B

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the aloves.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: butyl rubber, 0,7mm; 480min

Eye protection

tightly fitting goggles

Skin protection

protective clothing

General protective measures

Do not inhale vapours.

Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink and smoke.

Wash hands before breaks and after work.

Use barrier skin cream.



No. 1907/2006 (REACH) Printed 11.02.2011

Revision 10.02.2011 (GB) Version 6.0

Contact VA 1401 (GB)

9. Physical and chemical properties

Form Colour Odour liquid colourless odourless

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
boiling point	> 200 °C				
Flash point	87 °C			DIN/ISO 2592	
Lower explosion limit	not applicable				
Upper explosion limit	not applicable				
Vapour pressure	< 0,5 mbar	20 °C		DIN 51616	
Density	1,05 - 1,09 g/ cm3	20 °C			
Solubility in water					more or less insoluble
Viscosity dynamic	5 - 1500 mPa*s	20 °C			

10. Stability and reactivity

Conditions to avoid

In case of addition of water warming up.

Materials to avoid

Reacts heavily with water.

Reactions with oxidising agents.

Reactions with alkalies.

Reactions with amines.

Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Nitrous oxides (NOx)

Thermal decomposition

Remark No decomposition if used as directed.

Additional information

Polymerization under development of heat.

11. Toxicological information

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
Irritability skin	irritant			
Irritability eye	irritant			



No. 1907/2006 (REACH)
Printed 11.02.2011

Revision 10.02.2011 (GB) Version 6.0

Contact VA 1401 (GB)

Experiences made from practice

Sensitization through inhalation possible.

Possible sensitization in case of persons suffering from hypersensitivity.

Irritates mucous membranes.

Additional information

Labelling in compliance with the assessment procedure specified in the EC guidelines 1999/45/EC.

12. Ecological information

General regulation

Do not allow uncontrolled leakage of product into the environment.

13. Disposal considerations

Recommendations for the product

Remove in accordance with local official regulations.

Can be disposed of together with household refuse in accordance with the regulations and on consultation with the disposal agency and the relevant authorities.

Product rests: send for disposal, e.g. special waste incineration.

Recommendations for packaging

Carefully polymerize content with water or alkali.

14. Transport information

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

15. Regulatory information

VOC standard

VOC content 1,5-2 %

16. Other information

Recommendend uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 36/37/38 Irritating to eyes, respiratory system and skin.